




# Kraftfahrt-Bundesamt

DE-24932 Flensburg



## MITTEILUNG

ausgestellt von:

**Kraftfahrt-Bundesamt**

über die Erteilung einer Genehmigung für einen Schutzhelmtyp mit einem Visiertyp(en) nach der Regelung Nr. 22 einschließlich Änderung Nr. 06 Ergänzung 02

## COMMUNICATION

issued by:

**Kraftfahrt-Bundesamt**

concerning the granting of an approval of a type of protective helmet with one visor type(s) pursuant to Regulation No. 22 including amendment No. 06 supplement 02

Genehmigungsnummer: **E1\*22R06/02\*301242\*00**

Approval number:

1. Fabrik- oder Handelsmarke:  
Trade name or mark:  
**A-PRO, AXO, BAYARD, BILT, BOX, CMS,  
CX RACING, DEXTER, DIEFFE, DROXX,  
EXKLUSIV, FFM, FIRST RACING, FLINT,  
FULMER, G-MAC, GUN, HARLEY  
DAVIDSON, HELD, IXS, JOE ROCKET,  
KENNY, KOJI, KONTROL, KTM, LIFESTYLE,  
LS2, MAC, MHR, NEXO, NITRO, NOX,  
OXFORD, ROCC, RXA, SEDICI, SHAFTPRO,  
SHELL, SKULLY, S-LINE, SMOOK,  
SPARX, SPEED AND STRENGTH,  
SPEEDWAY, SPIRIT, SPYDER, STELS,  
STREET&STEEL, SWIFT, SYKO, TAKACHI,  
TAKAI, TEXX, TRIK MOTO, TUZO, VENOM,  
VOSS, XPLOER, X-VINCE, ZOX**
2. Typ:  
Type:  
**FF806**
3. Größen:  
Sizes:  
**XS (53-54), S (55-56), M (57-58), L (59-60), XL (61-62), XXL (63-64), XXXL (65-66)**



# Kraftfahrt-Bundesamt

DE-24932 Flensburg

---

2

Genehmigungsnummer: **E1\*22R06/02\*301242\*00**

Approval Number:

4. Name des Herstellers:  
Manufacturer's name:  
**JIANGMEN PENGCHENG HELMETS LTD.**  
**CN-Gonghe Town, Heshan City**
5. Anschrift:  
Address:  
**Siehe Punkt 4.**  
**See item 4.**
6. Name des Vertreters des Herstellers (gegebenenfalls):  
Name of manufacturer's representative (if any):  
**Entfällt**  
**Not applicable**
7. Anschrift:  
Address:  
**Siehe Punkt 6.**  
**See item 6.**
8. Kurze Beschreibung des Helms:  
Brief description of helmet:  
**Siehe Anlagen**  
**See enclosures**
9. **Helm mit schützender unterer Gesichtabdeckung (P)**  
**Helmet with protective lower face cover (P)**
10. Visiertyp oder Visiertypen:  
Type of visor or visors:  
**FF-MHR-74 PLUS (E9 22R 066377)**
11. Kurze Beschreibung des Visiers oder der Visiere:  
Brief description of visor(s):  
**Siehe Anlagen**  
**See enclosures**
12. **Helm betriebsbereit für spezifisches Zubehör (SA)/betriebsbereit für universelles Zubehör (UA)**  
**Helmet ready for specific accessory (SA)/ready for universal accessories (UA)**  
**Entfällt**  
**Not applicable**



# Kraftfahrt-Bundesamt

DE-24932 Flensburg

---

3

Genehmigungsnummer: **E1\*22R06/02\*301242\*00**

Approval Number:

13. In der Helmhomologation enthaltenes Zubehör und Funktionalität:  
Accessories included in the helmet homologation and functionality:  
**Sonnenblende**  
**Sun shield**
14. Wenn UA-Helm:  
If UA helmet:  
**Entfällt**  
**Not applicable**
15. Zur Genehmigung vorgelegt am:  
Submitted for approval on:  
**18.12.2024**
16. Technischer Dienst, der die Prüfungen für die Genehmigungen durchführt:  
Technical service responsible for conducting approval tests:  
**Technischer Dienst der TÜV Rheinland Kraftfahrt GmbH**  
**DE-51105 Köln**
17. Datum des Gutachtens des Technischen Dienstes:  
Date of report issued by that service:  
**22.11.2024**
18. Nummer des Gutachtens des Technischen Dienstes:  
Number of report issued by that service:  
**85-R22-1717/24-00**
19. Bemerkung(en):  
Remark(s):  
**Handelsbezeichnung(en):**  
**General commercial description(s):**  
**FF320, FF320-5, FF806-A, FUSION, STREAM, STREAM EVO**
20. Die Genehmigung wird **erteilt**  
Approval is **granted**



# Kraftfahrt-Bundesamt

DE-24932 Flensburg


---

4

Genehmigungsnummer: **E1\*22R06/02\*301242\*00**

Approval Number:

21. Ort: **DE-24932 Flensburg**  
Place:
22. Datum: **09.01.2025**  
Date:
23. Unterschrift: **Im Auftrag**  
Signature:

  
(D. Stieglitz)



24. Folgende mit der oben erwähnten Genehmigungsnummer versehene Dokumente sind auf Anforderung erhältlich:  
The following documents, bearing the approval number shown above, are available on request:

Anlagen:

Enclosures:

**Gemäß Inhaltsverzeichnis**

**According to index**



# Kraftfahrt-Bundesamt

DE-24932 Flensburg

---

Zu: E1\*22R06/02\*301242\*00

To:

**Erklärung über die Einhaltung der Anforderungen hinsichtlich der Übereinstimmung der Produktion gemäß dem Übereinkommen von 1958**  
**Statement of compliance with the conformity of the production requirements of the 1958 Agreement**

1. Name des Herstellers:  
Manufacturer's name:  
**JIANGMEN PENGCHENG HELMETS LTD.**  
**CN-Gonghe Town, Heshan City**
2. Datum der Anfangsbewertung:  
Date of the initial assessment:  
**10.08.2015**
3. Datum aller durchgeführten Überwachungstätigkeiten:  
Date of any surveillance activities:  

Aktenzeichen Register number	Datum der Begehung Date of inspection	Genehmigungsnummer Approval number
CoP-Q: <b>Entfällt</b> <b>Not applicable</b>		
CoP-P: <b>P-501834</b>	<b>12.06.2018</b>	<b>05300517, Erweiterung 02</b>
<b>P-503485</b>	<b>17.03.2022</b>	<b>E1*22R05/03*300584*02</b>



# Kraftfahrt-Bundesamt

DE-24932 Flensburg

---

Zu: **E1\*22R06/02\*301242\*00**

To:

## Inhaltsverzeichnis zu den Beschreibungsunterlagen Index to the information package

Ausgabedatum: **09.01.2025**                      Letztes Änderungsdatum: **--**  
Date of issue:    Last date of amendment:

Nebenbestimmungen und Rechtsbehelfsbelehrung  
Collateral clauses and instruction on right to appeal

Prüfbericht(e) Nr.:    Datum:  
Test report(s) No.:    Date:  
**85-R22-1717/24-00**    **22.11.2024**

Beschreibungsbogen Nr.:    Datum:  
Information document No.:    Date:  
**MHR-FF806-00**    **01.11.2024**

Liste der Änderungen:    Datum:  
List of modifications:    Date:  
**Entfällt**  
**Not applicable**

R22 E1\*22R06/02\*301242\*00



# Kraftfahrt-Bundesamt

DE-24932 Flensburg

---

Nummer der Genehmigung: E1\*22R06/02\*301242\*00

- Anlage -

## Nebenbestimmungen und Rechtsbehelfsbelehrung

### Nebenbestimmungen

***Diese Genehmigung wird unter der auflösenden Bedingung erteilt, dass bis zum 09.01.2026 der Prüfbericht zur Produktionsqualifizierung gemäß Nr. 9. der UN-Regelung Nr. 22 beim Kraftfahrt-Bundesamt eingereicht wird.***

Jede Einrichtung, die dem genehmigten Typ entspricht, ist gemäß der angewendeten Vorschrift zu kennzeichnen.

Die Einzelerzeugnisse der reihenweisen Fertigung müssen mit den Genehmigungsunterlagen genau übereinstimmen. Änderungen an den Einzelerzeugnissen sind nur mit ausdrücklicher Zustimmung des Kraftfahrt-Bundesamtes gestattet.

Änderungen der Firmenbezeichnung, der Anschrift und der Fertigungsstätten sowie eines bei der Erteilung der Genehmigung benannten Zustellungsbevollmächtigten oder bevollmächtigten Vertreters sind dem Kraftfahrt-Bundesamt unverzüglich mitzuteilen.

Verstöße gegen diese Bestimmungen können zum Widerruf der Genehmigung führen und können überdies strafrechtlich verfolgt werden.

Die Genehmigung erlischt, wenn sie zurückgegeben oder entzogen wird, oder der genehmigte Typ den Rechtsvorschriften nicht mehr entspricht. Der Widerruf kann ausgesprochen werden, wenn die für die Erteilung und den Bestand der Genehmigung geforderten Voraussetzungen nicht mehr bestehen, wenn der Genehmigungsinhaber gegen die mit der Genehmigung verbundenen Pflichten - auch soweit sie sich aus den zu dieser Genehmigung zugeordneten besonderen Auflagen ergeben - verstößt oder wenn sich herausstellt, dass der genehmigte Typ den Erfordernissen der Verkehrssicherheit oder des Umweltschutzes nicht entspricht.

Das Kraftfahrt-Bundesamt kann jederzeit die ordnungsgemäße Ausübung der durch diese Genehmigung verliehenen Befugnisse, insbesondere die genehmigungsgerechte Fertigung sowie die Maßnahmen zur Übereinstimmung der Produktion, nachprüfen. Es kann zu diesem Zweck Proben entnehmen oder entnehmen lassen. Dem Kraftfahrt-Bundesamt und/oder seinen Beauftragten ist ungehinderter Zutritt zu Produktions- und Lagerstätten zu gewähren.

Die mit der Erteilung der Genehmigung verliehenen Befugnisse sind nicht übertragbar. Schutzrechte Dritter werden durch diese Genehmigung nicht berührt.

### Rechtsbehelfsbelehrung

Gegen diese Genehmigung kann innerhalb eines Monats nach Bekanntgabe Widerspruch erhoben werden. Der Widerspruch ist beim **Kraftfahrt-Bundesamt, Fördestraße 16, DE-24944 Flensburg**, schriftlich oder zur Niederschrift einzulegen.



# Kraftfahrt-Bundesamt

DE-24932 Flensburg

---

2

Approval No.: **E1\*22R06/02\*301242\*00**

- Attachment -

## Collateral clauses and instruction on right to appeal

### Collateral clauses

***This approval is issued under the dissolving condition that by the 09.01.2026 the test report of production qualification in accordance with UN Regulation No. 22, Paragraph 9, is submitted to the Kraftfahrt-Bundesamt.***

All equipment which corresponds to the approved type is to be identified according to the applied regulation.

The individual production of serial fabrication must be in exact accordance with the approval documents. Changes in the individual production are only allowed with express consent of the Kraftfahrt-Bundesamt.

Changes in the name of the company, the address and the manufacturing plant as well as one of the parties given the authority to delivery or authorised representative named when the approval was granted is to be immediately disclosed to the Kraftfahrt-Bundesamt.

Breach of this regulation can lead to recall of the approval and moreover can be legally prosecuted.

The approval expires if it is returned or withdrawn or if the type approved no longer complies with the legal requirements. The revocation can be made if the demanded requirements for issuance and the continuance of the approval no longer exist, if the holder of the approval violates the duties involved in the approval, also to the extent that they result from the assigned conditions to this approval, or if it is determined that the approved type does not comply with the requirements of traffic safety or environmental protection.

The Kraftfahrt-Bundesamt may check the proper exercise of the conferred authority taken from this approval at any time. In particular this means the compliant production as well as the measures for conformity of production. For this purpose samples can be taken or have taken. The employees or the representatives of the Kraftfahrt-Bundesamt may get unhindered access to the production and storage facilities.

The conferred authority contained with issuance of this approval is not transferable. Trade mark rights of third parties are not affected with this approval.

### Instruction on right to appeal

This approval can be appealed within one month after notification. The appeal is to be filed in writing or as a transcript at the **Kraftfahrt-Bundesamt, Fördestraße 16, DE-24944 Flensburg.**

Type : FF806

Manufacturer : Jiangmen Pengcheng Helmets Ltd.

**TEST REPORT**

according to

**UN-R 22**

Uniform provisions concerning the approval of protective helmets and their visors for drivers and passengers of motor cycles and mopeds

as last amended by

06 series of amendments, Suppl. 2

**For the Type Approval of:**

- Helmet + Visor
- Helmet
- Visor

## Approval Status

UN-approval : E1\*22R06/02\*301242\*00 (resevered)

## Structure of the Test Report

Item no.

0. General information
1. Tested vehicle(s)/object(s)
2. Test record
3. Appendices
4. Statement of conformity

The Test Report shall be reproduced and published only in its entirety by the client. It may however be reproduced and published partially, but only with the written permission of the Technical Service.

Type : FF806

Manufacturer : Jiangmen Pengcheng Helmets Ltd.

**0. General information**

- 0.1. Make (trade name of the manufacturer) : A-PRO, AXO, BAYARD, BILT, BOX, CMS, CX RACING, DEXTER, DIEFFE, DROXX, EXKLUSIV, FFM, FIRST RACING, FLINT, FULMER, G-MAC, GUN, HARLEY DAVIDSON, HELD, IXS, JOE ROCKET, KENNY, KOJI, KONTROL, KTM, LIFESTYLE, LS2, MAC, MHR, NEXO, NITRO, NOX, OXFORD, ROCC, RXA, SEDICI, SHAFT-PRO, SHELL, SKULLY, S-LINE, SMOOK, SPARX, SPEED AND STRENGTH, SPEEDWAY, SPIRIT, SPYDER, STELS, STREET&STEEL, SWIFT, SYKO, TAKACHI, TAKAI, TEXX, TRIK MOTO, TUZO, VENOM, VOSS, XPLOERER, X-VINCE, ZOZ
- 0.2. Type : FF806
- Commercial description(s) : FF320, FF320-5, FF806-A, FUSION, STREAM, STREAM EVO
- Version(s) : ---
- 0.3. Helmet category : see appendix L, item 9
- 0.4. Name and address of the manufacturer : Jiangmen Pengcheng Helmets Ltd.  
No.01-7 Dongsheng Road, Gonghe Town, Heshan, Jiangmen City, Guangdong, 529728 P.R. China
- 0.5. No. of the information document : MHR-FF806-00
- Date of issue : November 01, 2024
- Date of last change : ---

**1. Tested vehicle(s) / object(s)**

- 1.1. Description
- 1.1.1. Object : see appendix L, item 8
- Trade name : see appendix L, item 1
- Type(s) /variant(s) / version(s) : see appendix L, item 2
- Identification number : without
- 1.1.2. Condition of vehicle(s)/object(s) : new, ~~used~~, ~~pretested~~
- 1.2. Worst case configuration : ~~No worst case assessment required (only one variant/version or no variants/versions)~~

R22 E1\*22R06/02\*301242\*00

Type : FF806

Manufacturer : Jiangmen Pengcheng Helmets Ltd.

~~There is no worst case selection applicable because all versions mentioned in the information folder are tested.~~

The helmet with back vent 1 was selected as the worst case because back vent 1 and back vent 2 are identical except for their shapes.

1.3. Remarks : without

2. **Test record**

2.1. Equipment for measuring and testing : The test and measurement equipment used were in compliance with the test requirements.

2.1.1. Specifications for the test site : not applicable

2.1.2. Subcontracting : not applicable

2.2. **Test results**

Remarks concerning extension : not applicable

~~The helmet type has been tested according to the modification(s) mentioned in appendix 0.~~

~~The new parts meet the requirements of the regulation.~~

~~An actual practical test of the helmet was not necessary. The results of the previous test(s) are still valid.~~

Test results referring to measurements : passed

Test results of not measurable attributes : not applicable

Alternative test methods : not applicable

2.3. Additional information : The results of the test refer exclusively to the object(s) mentioned under point 1. of this report.

Test site(s) : TÜV Rheinland (Guangdong) Ltd.  
Guangzhou Helmet Laboratory  
No.767 Tianyuan Road, Tianhe District,  
Guangzhou 510650, P.R. China

Test date : November 12-15, 2024

2.4. Remarks : without

R22 E1\*22R06/02\*301242\*00

Type : FF806

Manufacturer : Jiangmen Pengcheng Helmets Ltd.

**3. Appendices**

- Appendix 0 : List of modifications
- Appendix L : Technical description of type and Communication concerning the UN-approval
- Appendix 1 : Test minutes
- Information document : MHR-FF806-00 (30 pages)


**4. Statement of conformity**

The Information Document listed in section 0.5., and the type described therein, comply with the requirements stated on page 1. The test results in this report refer to the ~~vehicle(s)~~ object(s) described under section 1.1. With regards to the required level of performance to be achieved, the tested samples were representative for the type to be approved (see section 1.2).

The tests were carried out in accordance with the relevant requirements of EN ISO/IEC 17025:2017.

Engineering Centre Shanghai, November 22, 2024

KWU / CGC / BP



Kevin Wu

Technical Expert Technical Service

Type : FF806

Manufacturer : Jiangmen Pengcheng Helmets Ltd.

---

List of modifications

Appendix 0

Correction of : -

Modification of : -

Addition of : -

Deletion of : -

R22 E1\*22R06/02\*301242\*00

Type : FF806

Manufacturer : Jiangmen Pengcheng Helmets Ltd.

## Communication concerning the type approval

Appendix L

- 1 Trade mark : A-PRO, AXO, BAYARD, BILT, BOX, CMS, CX RACING, DEXTER, DIEFFE, DROXX, EXKLUSIV, FFM, FIRST RACING, FLINT, FULMER, G-MAC, GUN, HARLEY DAVIDSON, HELD, IXS, JOE ROCKET, KENNY, KOJI, KONTROL, KTM, LIFESTYLE, LS2, MAC, MHR, NEXO, NITRO, NOX, OXFORD, ROCC, RXA, SEDICI, SHAFT-PRO, SHELL, SKULLY, S-LINE, SMOOK, SPARX, SPEED AND STRENGTH, SPEEDWAY, SPIRIT, SPYDER, STELS, STREET&STEEL, SWIFT, SYKO, TAKACHI, TAKAI, TEXX, TRIK MOTO, TUZO, VENOM, VOSS, XPLOERER, X-VINCE, ZOX
- 2 Type : FF806  
Commercial description(s) : FF320, FF320-5, FF806-A, FUSION, STREAM, STREAM EVO  
Versions(s) : ---
- 3 Sizes : XS (53-54), S (55-56), M (57-58), L (59-60), XL (61-62), XXL (63-64), XXXL (65-66)
- 4 Manufacturer's name : Jiangmen Pengcheng Helmets Ltd.
- 5 Address of manufacturer : No.01-7 Dongsheng Road, Gonghe Town, Heshan, Jiangmen City, Guangdong, 529728 P.R. China
- 6 If applicable, name of manufacturer's representative : not applicable
- 7 Address of manufacturer's representative : not applicable
- 8 Brief description of helmet : The helmet is composed of ABS shell (Acrylonitrile-Butadiene-Styrene).  
  
The protective padding is made of one EPS (Expanded Poly Styrene) main size liner, one small EPS liner in the main part, one EPS top crown liner in the top area, two EPS chin liners, one middle EPS liner in the chin mouth area.  
  
The adoption to the different head sizes is done by different sizes of shell, different thickness of the size liner, and different thickness of the comfort padding.  
  
The helmet is fitted with 1 visor with separate approval and with 1 sun shield.  
  
The visor type: FF-MHR-74 PLUS (E9 22R 066377), made of Polycarbonate (PC), and a thickness of 1.8 mm.  
  
The sun shield type: SF-MHR-11 is tinted, made of Polycarbonate (PC), and a thickness of 2.0 mm.
- 9 Helmet category : with protective lower face cover (P)
- 10 Type of visor or visors : FF-MHR-74 PLUS (E9 22R 066377)

**Type** : **FF806**

**Manufacturer** : **Jiangmen Pengcheng Helmets Ltd.**

11	Brief description of visor or visors, and inner visor if any	:	Made of Polycarbonate (PC) and a thickness of 1.8mm.
12	Helmet ready for	:	<del>Specific accessory (SA)/ Universal accessories(UA)</del>
13	Accessories included in the helmet homologation and functionality	:	not applicable
14	If UA helmet	:	not applicable
			<del>speakers (S or S45)/Microphone (M)/Front mounting (F) /Side mounting (L), Rear mounting (R)</del>
15	Submitted for approval on	:	November 12-15, 2024
16	Technical service responsible for conducting approval tests	:	Technischer Dienst der TÜV Rheinland Kraftfahrt GmbH Am Grauen Stein, 51105 Cologne, Germany
17	Date of report issued by that service	:	November 22, 2024
18	Number of report issued by that service	:	85-R22-1717/24-00
19	Comments	:	not applicable
20	Approval	:	Granted <del>/extended / refused / withdrawn</del>

R22 E1\*22R06/02\*301242\*00

Type : FF806

Manufacturer : Jiangmen Pengcheng Helmets Ltd.

Test minutes

Appendix 1

**General Requirements for Helmets**

- |     |  |   |  |
|-----|--|---|--|
| 1   | Basic construction<br>(6.1)                  | : | The helmet consists of a shell, protective padding, comfort padding and a retention system.  |
| 2   | Additional construction<br>(6.2/ 6.2.1)      | : | Refer Appendix L, item 8   |
| 3   | Lower face cover<br>(6.2.2.)                 | : | Refer Appendix L, item 9   |
| 4   | Helmet with accessories<br>(6.3)             | : | Not applicable   |
| 4.1 | Helmet with universal accessories<br>(6.3.1) | : | Not applicable   |
| 4.2 | Helmet with specific accessories<br>(6.3.2)  | : | Not applicable   |
| 5   | Protection areas<br>(6.4)                    | : | The shell and padding of the helmets of each size cover the required areas.  |
| 6   | Hearing ability and temperature<br>(6.5)     | : | The wearer's ability to hear is not dangerously affected by the helmet.<br><br>The helmet has ventilation holes in the shell to prevent overheating.   |
| 7   | Outer projections<br>(6.6 / 6.7)             | : | All external projections are rounded and smooth.<br>All external projections $\leq 2$ mm have a radius $\geq 1$ mm.<br><br>There are projections of the outer shell, greater than 2mm.<br>All external projections $> 2$ mm have a radius $\geq 2$ mm.<br>The shear assessment was successful. |
| 8   | Inner projections<br>(6.8)                   | : | No inward facing sharp edges. All internal parts are covered with padding.   |
| 9   | Helmet components<br>(6.9)                   | : | The components of the helmet are assembled in a way that they do not become easily detached as a result of impact.   |

Type : FF806

Manufacturer : Jiangmen Pengcheng Helmets Ltd.

10	Retention system	
10.1	Abrasion protection (6.10)	: The wearer is protected from abrasion by the retention system.
10.2	General (6.11)	: The retention system fully complies with the requirements of the regulation: <ul style="list-style-type: none"> <li>- Retention System is permanently attached</li> <li>- Chin strap is adjustable and maintains tension</li> <li>- Strap has a width of minimum 20 mm</li> <li>- No chin-cup</li> <li>- No rigid parts 130 mm below head form reference plane</li> <li>- Total opening of retention system only with voluntary action</li> <li>- Detailed instructions for use of the buckle/ double D ring</li> <li>- If sliding bar or double D ring: red pulling flap with minimum dimensions of 10x20 mm is provided</li> <li>- Buckle cannot be left in partially closed position</li> </ul>
10.3	Chin strap (6.11.1 / 7.12.1.1)	: Under a load of 150 N the width of the chin strap is > 20 mm. The chin strap is covered with an additional comfort padding. It is not possible to open the quick-release mechanism with a ball of diameter 100 mm.
11	Detachable/movable face cover (6.12)	: Not applicable
12	Materials (6.13)	: The materials used for the helmet comply with the regulation.
13	Breakage and deformation (6.14)	: The helmet does not show breakage or deformation dangerous to the wearer after testing.
14	Peripheral vision (6.15)	: Complies with the requirements of the regulation, refer test results.
15	Visor (6.16)	: Refer to the visor approval: FF-MHR-74 PLUS (E9 22R 066377)
16	Sun shield (6.17)	
16.1	General (6.17.1)	: The sun shield does not affect the visor in any way. The sun shield is controlled separately from the visor.
16.2	Field of Vision (6.17.2)	: Complies with the requirements of the regulation, see also test results:

Type : FF806

Manufacturer : Jiangmen Pengcheng Helmets Ltd.

- Field of Vision
- Luminous transmittance
- No defects impairing vision
- No noticeable distortion
- Spectral transmittance
- Reflective power values

- 17 Conspicuity marking (6.18) : The helmet is not equipped with retroreflective parts.
- 18 Accessories (6.19) : Not applicable
- 19 Information (14) : Manufacturer-information about size and weight are located on the outer shell by adhesive label(s). Additional consumer information in accordance with the UN-R 22 is given by the owner's manual. It has to always be enclosed to the offered helmet.

R22 E1\*22R06/02\*301242\*00

Type : FF806

Manufacturer : Jiangmen Pengcheng Helmets Ltd.

## 6.15. Peripheral vision

Helmet Size	Test head	horizontal angle [°] (min. 210°)	upwards angle [°] (min. 7°)	downwards angle [°] (min. 45°)
S 55-56	555	>210	7	>45
XXL 63-64	625	>210	7	>45

## 7.3. Impact-absorption-tests

All values are within the limits of the regulation, 275 g respectively 2400 HIC.

helmet size : XS 53-54  
 test-head-size : 535  
 anvil : Flat (Helm. 1), Kerbstone (Helm. 2)

Conditioning	Impact point	Res. acceleration [g]	HIC [-]
Helmet 1 Low Temp. (-10°C)	B	172	1368
	XL	220	1692
	P	190	1844
	R	161	1322
	S	118	477
Helmet 2 High Temp. (+50°C)	B	141	1076
	XL	161	1077
	P	143	1065
	R	132	886
	S	---	---

Type : FF806

Manufacturer : Jiangmen Pengcheng Helmets Ltd.

helmet size : S 55-56  
 test-head-size : 535  
 anvil : Flat (Helm. 3), Kerbstone (Helm. 4)

Conditioning	Impact point	Res. acceleration [g]	HIC [-]
Helmet 3 Low Temp. (-10°C)	B	180	1533
	XL	234	1764
	P	186	1828
	R	168	1453
	S	120	464
Helmet 4 High Temp. (+50°C)	B	182	1353
	XL	236	1656
	P	154	1135
	R	142	1075
	S	---	---

helmet size : M 57-58  
 test-head-size : 575  
 anvil : Flat (Helm. 5), Kerbstone (Helm. 6)

Conditioning	Impact point	Res. acceleration [g]	HIC [-]
Helmet 5 Low Temp. (-10°C)	B	189	1540
	XL	246	2032
	P	185	1830
	R	193	1687
	S	101	308
Helmet 6 High Temp. (+50°C)	B	178	1229
	XL	154	992
	P	195	1334
	R	139	1005
	S	---	---

Type : FF806

Manufacturer : Jiangmen Pengcheng Helmets Ltd.

helmet size : M 57-58  
 test-head-size : 575  
 anvil : Flat (Helm. 7), Kerbstone (Helm. 8), Flat (Helm. 9)

Conditioning	Impact point	Res. acceleration [g]	HIC [-]
Helmet 7 Ambient	B	169	1485
	XR	232	1885
	P	175	1660
	R	181	1529
	S	---	---
Helmet 8 Ambient	B	180	1267
	XR	158	1090
	P	175	1267
	R	169	1260
	S	---	---
Helmet 9 Artificial ageing	B	168	1509
	XL	229	1819
	P	177	1673
	R	177	1512
	S	---	---

helmet size : L 59-60  
 test-head-size : 605  
 anvil : Flat (Helm. 10), Kerbstone (Helm. 11)

Conditioning	Impact point	Res. acceleration [g]	HIC [-]
Helmet 10 Low Temp. (-10°C)	B	194	1754
	XL	218	1549
	P	186	1613
	R	111	720
	S	148	551
Helmet 11 High Temp. (+50°C)	B	155	1195
	XL	146	913
	P	269	1512
	R	141	1033
	S	---	---

Type : FF806

Manufacturer : Jiangmen Pengcheng Helmets Ltd.

helmet size : XXXL 65-66  
 test-head-size : 625  
 anvil : Flat (Helm. 12), Kerbstone (Helm. 13)

Conditioning	Impact point	Res. acceleration [g]	HIC [-]
Helmet 12 Low Temp. (-10°C)	B	194	1767
	XL	235	1888
	P	190	1878
	R	200	1820
	S	136	518
Helmet 13 High Temp. (+50°C)	B	158	1198
	XL	161	1065
	P	190	1227
	R	137	975
	S	---	---

helmet size : XXXL 65-66  
 test-head-size : 625  
 anvil : Flat (Helm. 14), Kerbstone (Helm. 15), Kerbstone (Helm. 16)

Conditioning	Impact point	Res. acceleration [g]	HIC [-]
Helmet 14 Ambient	B	186	1649
	XR	175	1388
	P	190	1705
	R	196	1582
	S	---	---
Helmet 15 Ambient	B	148	1206
	XR	145	1006
	P	174	1207
	R	172	1323
	S	---	---
Helmet 16 Artificial ageing	B	156	1260
	XL	163	1108
	P	159	1185
	R	192	1342
	S	---	---

Type : FF806

Manufacturer : Jiangmen Pengcheng Helmets Ltd.

Low energy impact

All values are within the limits of the regulation, 180 g respectively 1300 HIC.

helmet size : M 57-58  
test-head-size : 575  
anvil : Flat (Helm. 17)

Conditioning	Impact point	Res. acceleration [g]	HIC [-]
Helmet 17 Ambient	B	140	919
	XL	170	1036
	P	141	943
	R	143	882
	S	---	---

helmet size : XXXL 65-66  
test-head-size : 625  
anvil : Kerbstone (Helm. 18)

Conditioning	Impact point	Res. acceleration [g]	HIC [-]
Helmet 18 Ambient	B	112	658
	XL	115	587
	P	105	564
	R	122	667
	S	---	---

High energy impact

All values are within the limits of the regulation, 275 g respectively 2880 HIC.

helmet size : M 57-58  
test-head-size : 575  
anvil : Flat (Helm. 19)

Conditioning	Impact point	Res. acceleration [g]	HIC [-]
Helmet 19 Ambient	B	227	2199
	XL	267	2409
	P	213	2250
	R	196	1896
	S	---	---

**Test Report No. 85-R22-1717/24-00**

**Type : FF806**

**Manufacturer : Jiangmen Pengcheng Helmets Ltd.**

helmet size : XXXL 65-66  
 test-head-size : 625  
 anvil : Flat (Helm. 20)

Conditioning	Impact point	Res. acceleration [g]	HIC [-]
Helmet 20 Ambient	B	207	2060
	XL	262	2317
	P	208	2145
	R	206	1954
	S	---	---

Extra point

All values are within the limits of the regulation, 275 g respectively 2400 HIC.

helmet size : M 57-58  
 test-head-size : 575  
 anvil : Flat (Helm. 21)

Conditioning	Impact point	Res. acceleration [g]	HIC [-]
Helmet 21 Ambient	BXR	182	1427
	BXPL	199	1933
	RXL	218	1888
	RXPR	183	1645

helmet size : XXXL 65-66  
 test-head-size : 625  
 anvil : Kerbstone (Helm. 22)

Conditioning	Impact point	Res. acceleration [g]	HIC [-]
Helmet 22 Ambient	BXL	162	1245
	BXPR	270	1503
	RXPL	200	1264
	RXR	156	1180

R22 E1\*22R06/02\*301242\*00

Type : FF806

Manufacturer : Jiangmen Pengcheng Helmets Ltd.

7.4.2 Test for projections and surface friction (method B).

All values are within the limits of the regulation.

Helmet size	M 57-58	
Test head size	575	
	Test with positive result at the following points of the outer shell:	
1.	Rear air vent sliding tangential at the projection	Positive
2.	Main outer shell area test for friction assessment	Positive

7.4.3 Test for projections of the category P/J with movable lower face cover. (strength assessment of the movable face cover in the position "J")

Not applicable.

7.5 Rigidity test

All values are within the limits of the regulation.

Helmet Size	Direction	Deformation [mm] (max. 40 mm)	Permanent deformation [mm] (max. 15 mm)
M 57-58	longitudinal	23	7
	transversal	10	2
XXXL 65-66	longitudinal	15	5
	transversal	8	2

R22 E1\*22R06/02\*301242\*00

Type : FF806

Manufacturer : Jiangmen Pengcheng Helmets Ltd.

## 7.6. Dynamic test of the retention system

All values are within the limits of the regulation.

With DD Ring

Helmet Size	Headsizes	dyn.movement [mm] (max. 35 mm)	stat.movement [mm] (max.25 mm)	Remarks
XS 53-54	535	26.0	13.2	--
L 59-60	605	24.2	9.8	--

With No. 22 Buckle

Helmet Size	Headsizes	dyn.movement [mm] (max. 35 mm)	stat.movement [mm] (max.25 mm)	Remarks
XS 53-54	535	26.1	12.8	--
L 59-60	605	23.2	6.7	--

7.7.2. Retention (detaching) test  
[Weight hooked to the front border]

All values are within the limits of the regulation.

With DD Ring

Helmet Size	Headsizes	angle of movement [°] (max. 30°)	Remarks
XS 53-54	535	20	Front to rear
L 59-60	605	9	Front to rear

Type : FF806

Manufacturer : Jiangmen Pengcheng Helmets Ltd.

With No. 22 Buckle

Helmet Size	Headsizes	angle of movement [°] (max. 30°)	Remarks
XS 53-54	535	27	Front to rear
L 59-60	605	24	Front to rear

#### 7.7.3./4. Retention (detaching) test [Falling mass]

All values are within the limits of the regulation.

With DD Ring

Helmet Size	Headsizes	angle of movement [°] (max. 30°)	Remarks
XS 53-54	535	18	Rear to front
L 59-60	605	17	Rear to front

With No. 22 Buckle

Helmet Size	Headsizes	angle of movement [°] (max. 30°)	Remarks
XS 53-54	535	20	Rear to front
L 59-60	605	17	Rear to front

#### 7.8. Visor tests

Refer to visor type approval: FF-MHR-74 PLUS (E9 R22 066377)

Type : FF806

Manufacturer : Jiangmen Pengcheng Helmets Ltd.

7.9. Sun shield tests of SF-MHR-11

All values are within the limits of the regulation.

Luminous transmittance [6.17.2.2.] / road traffic sign and signals [6.17.2.4.]

Luminous transmittance $\tau_v$ (D65) ( $\geq 0,8$ ) (daytime: $\geq 0,35$ ; Sun shield: $> 0,20$ )	$Q_{Red} \geq 0,8$	$Q_{Yellow} \geq 0,6$	$Q_{green} \geq 0,6$	$Q_{blue} \geq 0,6$
0.267	Pass	Pass	Pass	Pass
0.268	Pass	Pass	Pass	Pass
0.269	Pass	Pass	Pass	Pass

Spectral transmittance ( $\geq 0,2\tau_v$ ) [6.17.2.5]

0.218
0.220
0.221

Refractive powers

Spherical effect [ $m^{-1}$ ]	Astigmatic effect [ $m^{-1}$ ]	Prismatic Diff. Effect [cm/m]		
		horizontal base		vertical base
		outside	inside	
$\leq \pm 0.12$	$\leq 0.12$	$\leq 1.00$	$\leq 0.25$	$\leq 0.25$
-0.05	0.05	0.46	--	0.04
-0.04	0.02	0.42	--	0.04
-0.05	0.04	0.46	--	0.05

Type : FF806

Manufacturer : Jiangmen Pengcheng Helmets Ltd.

7.10 Microslip-test of the chin strap

All values are within the limits of the regulation.

With DD Ring

Movement:	< 5.0 mm	Limit: ≤ 10 mm
-----------	----------	----------------

With No. 22 Buckle

Movement:	< 5.0 mm	Limit: ≤ 10 mm
-----------	----------	----------------

7.11 Test for resistance to abrasion of the chin strap

Not necessary, because the movement of the chin strap after 500 cycles was less than 5 mm.

7.12 Tests for retention systems relying on quick-release mechanisms

All values are within the limits of the regulation.

Operation force of the automatic buckle ≤ 30 N (Measured at static load of 150 N)

Resistance of the automatic buckle

The load of 2000 N at the automatic buckle made no fracture or disengage. After the test the automatic buckle was still be capable of operation.

R22 E1\*22R06/02\*301242\*00

Type : FF806

Manufacturer : Jiangmen Pengcheng Helmets Ltd.

## 7.13. Oblique impact test method of measuring rotational acceleration

All values are within the limits of the regulation, 10400 rad/s<sup>2</sup> respectively BrIC 0,78.

Headsize	Cond.	Anvil Shape	Point	Helmet Size	Rotation [rad/s <sup>2</sup> ]	BrIC	Remark
575	AMB	45°	FLR	M 57-58	2379	0.30	--
575	AMB	45°	Rear	M 57-58	2618	0.46	--
575	AMB	45°	LL	M 57-58	4478	0.42	--
575	AMB	45°	Front	M 57-58	2598	0.46	--
575	AMB	45°	RLR	M 57-58	3294	0.47	--
625	AMB	45°	FLR	XXXL 65-66	1865	0.30	--
625	AMB	45°	Rear	XXXL 65-66	2363	0.26	--
625	AMB	45°	LL	XXXL 65-66	3063	0.26	--
625	AMB	45°	Front	XXXL 65-66	2672	0.43	--
625	AMB	45°	RLR	XXXL 65-66	2941	0.40	--

R22\_E1\*22R06/02\*301242\*00

**Jiangmen Pengcheng Helmets Ltd.**  
**Information folder No. MHR-FF806-00**

Application date: November 01, 2024

**Content**

<b>DOCUMENT</b>		<b>PAGE</b>
	Technical description	2-3
	Assembly drawing	4
	Material list of parts	5
	Helmet section view	6-7
Dimension and weight of helmet (tolerances incorporated)		8
Impact absorption material thickness		9
EPS details		10-16
Retention system		17-18
Retention system position		19-20
Retention system operation		21-22
Drawings and details for visor		23
Drawings and details for Sunshield		24
Approval marking(s)		25
Label marking(s)		26-27
Accessories		28
Helmet assembly pictures		29-30
	Type	FF806
	Page	1 of 30

R22 E1\*22R06/02\*301242\*00

**Jiangmen Pengcheng Helmets Ltd.**  
**Information folder No. MHR-FF806-00**

Application date: November 01, 2024

INFORMATION DOCUMENT FOR TYPE-APPROVAL OF PROTECTIVE HELMETS AND /  
OR<sup>4</sup> OF THEIR VISORS FOR DRIVERS AND PASSENGERS OF MOTOR CYCLES AND  
MOPEDS

- |   |  |
|---|--|
| 1. Make (trade name or mark of the manufacturer)                                    | : A-PRO, AXO, BAYARD, BILT, BOX, CMS, CX RACING, DEXTER, DIEFFE, DROXX, EXKLUSIV, FFM, FIRST RACING, FLINT, FULMER, G-MAC, GUN, HARLEY DAVIDSON, HELD, IXS, JOE ROCKET, KENNY, KOJI, KONTROL, KTM, LIFESTYLE, LS2, MAC, MHR, NEXO, NITRO, NOX, OXFORD, ROCC, RXA, SEDICI, SHAFT-PRO, SHELL, SKULLY, S-LINE, SMOOK, SPARX, SPEED AND STRENGTH, SPEEDWAY, SPIRIT, SPYDER, STELS, STREET&STEEL, SWIFT, SYKO, TAKACHI, TAKAI, TEXX, TRIK MOTO, TUZO, VENOM, VOSS, XPLOER, X-VINCE, ZOX |
| 2. Type   | : FF806  |
| Commercial description(s)   | : FF320, FF320-5, FF806-A, FUSION, STREAM, STREAM EVO  |
| Version   | : N/A  |
| 3. Sizes(cm)  | : XS (53-54), S (55-56), M (57-58), L (59-60), XL (61-62), XXL (63-64), XXXL (65-66)   |
| 4. Name of the manufacturer   | : Jiangmen Pengcheng Helmets Ltd.  |
| 5. Address of the manufacturer  | : No.01-7 Dongsheng Road, Gonghe Town, Heshan, Jiangmen City, Guangdong, 529728 P.R. China   |
| 6. Name of the manufacturer's representative  | : N/A  |
| 7. Address of the manufacturer's representative                                     | : N/A  |
| 8. Brief description of the helmet and / or <sup>4</sup> Brief description of visor | : The helmet is composed of ABS shell (Acrylonitrile-Butadiene-Styrene).<br><br>The protective padding is made of one EPS (Expanded Poly Styrene) main size liner, one small EPS liner in the main part, one EPS top crown liner in the top area, two EPS chin liners, one middle EPS liner in the chin mouth area.  |

	Type	FF806
	Page	2 of 30

R22 E1\*22R06/02\*301242\*00

**Jiangmen Pengcheng Helmets Ltd.**  
**Information folder No. MHR-FF806-00**

Application date: November 01, 2024

The adoption to the different head sizes is done by different sizes of shell, different thickness of the size liner, and different thickness of the comfort padding.

The helmet is fitted with 1 visor with separate approval and with 1 sun shield.

The visor type: FF-MHR-74 PLUS (E9 22R 066377), made of Polycarbonate (PC), and a thickness of 1.8 mm.

The sun shield type: SF-MHR-11 is tinted, made of Polycarbonate (PC), and a thickness of 2.0 mm.

**ADDITIONAL INFORMATION**

Helmet ~~without lower face cover (J)/ with protective lower face cover (P) /with non protective lower face cover (NP)/ with detachable or movable lower face cover (P/J)~~<sup>4</sup> : P

Type of visor or visors : FF-MHR-74 PLUS (E9 22R 066377)

~~Types of helmet to which the visor may be fitted~~ : —

Name and address of assembly plant : Jiangmen Pengcheng Helmets Ltd.

No.01-7 Dongsheng Road, Gonghe Town,  
Heshan, Jiangmen City, Guangdong, 529728  
P.R. China

Applicable regulation : UN-Reg. No. 22, 06 series of amendments

**NOTE:**

<sup>1</sup> strike through where not applicable

	Type	FF806
	Page	3 of 30

**Jiangmen Pengcheng Helmets Ltd.**  
**Information folder No. MHR-FF806-00**

Application date: November 01, 2024

13	快速扣/双平面铁环扣 buckle/Double D'ring	套 set	1	as/ stainless steel
12	帽带 chin strap	条 unit	2	NYLON
11	下胶边 rubber ring	条 unit	1	APO-9811
10	壳体 Outer shell	个 piece	1	ABS
9	泡沫 protective padding	个 piece	3	EPS
8	内衬 comfort padding	套 set	1	NYLON
7	大尾翼 Ratchet system	个 piece	1	PC/ABS
6	底座 Ratchet system	套 set	2	POM
5	顶前风窗 top vent	套 set	2	PC/ABS
4	视野胶条 Eyeshot rubber seal	个 piece	1	ABS+TUP
3	镜片 visor	个 piece	1	PC
2	护鼻 Breath guard	个 piece	1	PVC
1	下巴风窗 mouth vent	套 set	1	PC/ABS
14	小镜片 sun shield	个 piece	1	pc

序号 number	名称 name	单位 unit	数量 piece	材料 material
14	小镜片 sun shield	个 piece	1	pc

MODEL	FF806						
SIZE	XXXL	XXL	XL	L	M	S	XS
CM	65-66	63-64	61-62	59-60	57-58	55-56	53-54

**技术要求**  
 Technical requirements  
 1. The surface of the outshell should be smooth and bright no mottle, pinhold, bulb, drop lack of oil, disdousie of basic color.  
 2. Every spare parts should be fixed correctly , and not be loose, missed.

**DRW.**

**FF806-01**

**Assembly Drawing**

	Type	FF806
	Page	4 of 30

R22 E1\*22R06/02\*301242\*00

**Jiangmen Pengcheng Helmets Ltd.**  
**Information folder No. MHR-FF806-00**

Application date: November 01, 2024


<b>Part No.</b>	<b>Subject or name</b>	<b>Material</b>
1	Mouth vent	PC/ABS
2	Breath Guard	PVC
3	Visor	PC
4	Eyeshot rubber seal	ABS+TUP
5	Top Vent	PC/ABS
6	Ratchet system	POM
7	Back vent	PC/ABS
8	Comfort padding	Nylon
9	Protective padding	EPS
10	Outer shell	ABS
11	Rubber Ring	APO-9811
12	Chin strap	Nylon
13	Buckle/Double D Ring	A3 / stainless steel
14	Sun shield	PC
		<b>Material list of parts</b>

	Type	FF806
	Page	5 of 30

R22 E1\*22R06/02\*301242\*00

**Jiangmen Pengcheng Helmets Ltd.**  
**Information folder No. MHR-FF806-00**

Application date: November 01, 2024



Unit:mm

**DRW.**

**FF806-02**


**Helmet section view  
(for Size M-XS)**

	Type	FF806
	Page	6 of 30

R22 E1\*22R06/02\*301242\*00

**Jiangmen Pengcheng Helmets Ltd.**  
**Information folder No. MHR-FF806-00**

Application date: November 01, 2024



Unit:mm

**DRW.**

**FF806-03**

**Helmet section view  
(for Size XXXL-L)**

R22 E1\*22R06/02\*301242\*00

	Type	FF806
	Page	7 of 30

## Dimension and weight

### 1. Dimension of the shell:

SIZE	Length (mm)	Width (mm)	Height (mm)
M-XS	256.3	397.4	268.6
XXXL-L	269.6	409.4	271.1

### 2. Total weight of the helmet:

Size	Weight (g)	Tolerance (g)
XS	1500	±50
S	1500	±50
M	1550	±50
L	1600	±50
XL	1600	±50
XXL	1600	±50
XXXL	1600	±50

### 3. Specific gravity of the impact absorption liner

Size	Specific gravity of Main Size Liner (kg/m <sup>3</sup> )	Specific gravity of Chin Liner (kg/m <sup>3</sup> )	Specific gravity of Top Crown Liner (kg/m <sup>3</sup> )	Specific gravity of Middle Liner (kg/m <sup>3</sup> )	Specific gravity of Small Liner (kg/m <sup>3</sup> )
XS	40	40	25	70	60
S	45	40	25	70	60
M	45	75	25	70	60
L	60	50	35	70	60
XL	65	75	35	70	60
XXL	65	75	35	70	60
XXXL	65	75	35	70	60

	Type	FF806
	Page	8 of 30

**Jiangmen Pengcheng Helmets Ltd.**  
**Information folder No. MHR-FF806-00**

Application date: November 01, 2024

**Impact absorption material thickness in millimeter, SHELL**

Size	Section B-Point	Section P-Point	Section R-Point	Section X-Point	Lower Face cover
XS	3.5	3.5	3.5	3.4	3.0
S	3.5	3.5	3.5	3.4	3.0
M	3.5	3.5	3.5	3.4	3.0
L	3.5	2.7	2.7	2.7	3.0
XL	3.5	2.7	2.7	2.7	3.0
XXL	3.5	2.7	2.7	2.7	3.0
XXXL	3.5	2.7	2.7	2.7	3.0

**Impact absorption material thickness in millimeter, EPS**

Size	Section B-Point	Section P-Point	Section R-Point	Section X-Point	Section S-Point
XS	36	45.9	46.3	42.6	15
S	31.8	44.8	43.8	40.3	15
M	33.7	42	36.4	39	15
L	31.1	43.4	43.7	42.3	15
XL	30.7	42.8	38	37.3	15
XXL	30.7	42.8	38	37.3	15
XXXL	30.7	42.8	38	37.3	15

**Impact absorption material thickness in millimeter, LINING**

Size	Section B-Point	Section P-Point	Section R-Point	Section X-Point	Side Part Lining
XS	16	16	18	12	12
S	16	16	18	12	12
M	16	16	18	12	12
L	16	16	18	12	12
XL	16	16	18	12	12
XXL	12	16	14	12	12
XXXL	8	16	10	12	12


Type FF806

Page 9 of 30

R22 E1\*22R06/02\*301242\*00

**Jiangmen Pengcheng Helmets Ltd.**  
**Information folder No. MHR-FF806-00**

Application date: November 01, 2024



Unit:mm


	<b>DRW.</b>	<b>FF806-04</b>	<b>EPS details (for Size XS)</b>
--	-------------	-----------------	--------------------------------------

	Type	FF806
	Page	10 of 30

R22 E1\*22R06/02\*301242\*00

**Jiangmen Pengcheng Helmets Ltd.**  
**Information folder No. MHR-FF806-00**

Application date: November 01, 2024




Unit:mm

	<b>DRW.</b>	<b>FF806-05</b>	<b>EPS details (for Size S)</b>
--	-------------	-----------------	-------------------------------------

	Type	FF806
	Page	11 of 30

**Jiangmen Pengcheng Helmets Ltd.**  
**Information folder No. MHR-FF806-00**

Application date: November 01, 2024




Unit:mm

	<b>DRW.</b>	<b>FF806-06</b>	<b>EPS details (for Size M)</b>
--	-------------	-----------------	-------------------------------------

	Type	FF806
	Page	12 of 30

**Jiangmen Pengcheng Helmets Ltd.**  
**Information folder No. MHR-FF806-00**

Application date: November 01, 2024




Unit:mm

	<b>DRW.</b>	<b>FF807-07</b>	<b>EPS details (for Size L)</b>
--	-------------	-----------------	-------------------------------------

		Type	FF806
		Page	13 of 30

**Jiangmen Pengcheng Helmets Ltd.**  
**Information folder No. MHR-FF806-00**

Application date: November 01, 2024



Unit:mm



	<b>DRW.</b>	<b>FF806-08</b>	<b>EPS details (for Size XL-XXXL)</b>
--	-------------	-----------------	---

	Type	FF806
	Page	14 of 30

**Jiangmen Pengcheng Helmets Ltd.**  
**Information folder No. MHR-FF806-00**

Application date: November 01, 2024

**FF806-Middle EPS (XXXXL-XS)**



Unit:mm


	<b>DRW.</b>	<b>FF806-09</b>	<b>Middle EPS details (for Size XXXL-XS)</b>
--	-------------	-----------------	--

	Type	FF806
	Page	15 of 30

R22 E1\*22R06/02\*301242\*00

**Jiangmen Pengcheng Helmets Ltd.**  
**Information folder No. MHR-FF806-00**

Application date: November 01, 2024



Unit:mm


	<b>DRW.</b>	<b>FF806-10</b>	<b>Small EPS details (for Size XXXL-XS)</b>
--	-------------	-----------------	---

	Type	FF806
	Page	16 of 30

R22 E1\*22R06/02\*301242\*00

**Jiangmen Pengcheng Helmets Ltd.**  
**Information folder No. MHR-FF806-00**

Application date: November 01, 2024




Part No.	Subject or name	Material
1	Buckle	Stainless Steel + POM
2	Sewing Line	Nylon
3	Chin strap	Nylon
	<b>DRW.</b>	<b>FF806-11</b>
		<b>Retention system (with No.22 Buckle)</b>

	Type	FF806
	Page	17 of 30

R22 E1\*22R06/02\*301242\*00

**Jiangmen Pengcheng Helmets Ltd.**  
**Information folder No. MHR-FF806-00**


Application date: November 01, 2024



Part No.	Subject or name	Material
1	Double D Ring	stainless steel
2	Sewing Line	Nylon
3	Chin strap	Nylon
	<b>DRW.</b>	<b>FF806-12</b>
		<b>Retention system (with Double D Ring)</b>

	Type	FF806
	Page	18 of 30

R22 E1\*22R06/02\*301242\*00




Unit:mm

<b>DRW.</b>	<b>FF806-13</b>	<b>Retention system position (for Size M-XS)</b>
-------------	-----------------	--

	Type	FF806
	Page	19 of 30

R22 E1\*22R06/02\*301242\*00




Unit:mm

R22 E1\*22R06/02\*301242\*00

	<b>DRW.</b>	<b>FF806-14</b>	<b>Retention system position (for Size L-XXXL)</b>
--	-------------	-----------------	--

	Type	FF806
	Page	20 of 30




R22 E1\*22R06/02\*301242\*00

	<b>DRW.</b>	<b>FF806-15</b>	<b>Retention system operation (with No.22 Buckle)</b>
--	-------------	-----------------	---

	Type	FF806
	Page	21 of 30

**Jiangmen Pengcheng Helmets Ltd.**  
**Information folder No. MHR-FF806-00**

Application date: November 01, 2024




R22 E1\*22R06/02\*301242\*00

	<b>DRW.</b>	<b>FF806-16</b>	<b>Retention system operation (with Double D Ring)</b>
--	-------------	-----------------	--

	Type	FF806
	Page	22 of 30

**Jiangmen Pengcheng Helmets Ltd.**  
**Information folder No. MHR-FF806-00**

Application date: November 01, 2024



**MHR**



**066377-XXXX**  
**FF-MHR-74 PLUS**

a = 8 mm min.

**1**

**2**


**DRW.**

**FF806-17**

**Drawing and details for Visor**

	Type	FF806
	Page	23 of 30

R22 E1\*22R06/02\*301242\*00



**DRW.**

**FF806-18**

**Drawing and details for  
 Sunshield SF-MHR-11**

	Type	FF806
	Page	24 of 30

**Jiangmen Pengcheng Helmets Ltd.**  
**Information folder No. MHR-FF806-00**

Application date: November 01, 2024



06301242 / P-XXXXX  $a/2$

**Model:** FF806

$a = 8 \text{ mm min.}$

<b>DRW.</b>	<b>FF806-19</b>	<b>Approval marking(s)</b>
-------------	-----------------	----------------------------


	Type	FF806
	Page	25 of 30

R22 E1\*22R06/02\*301242\*00

**Jiangmen Pengcheng Helmets Ltd.**  
**Information folder No. MHR-FF806-00**

Application date: November 01, 2024

Trade Mark



Manufacture date

DRW.	FF806-20	Label marking(s)
------	----------	------------------

	Type	FF806
	Page	26 of 30

R22 E1\*22R06/02\*301242\*00

**Jiangmen Pengcheng Helmets Ltd.**  
**Information folder No. MHR-FF806-00**

Application date: November 01, 2024



Weight Size Model label: contains product weight and size.


DRW.	FF806-21	Label marking(s)
------	----------	------------------

	Type	FF806
	Page	27 of 30


R22 E1\*22R06/02\*301242\*00

**Jiangmen Pengcheng Helmets Ltd.**  
**Information folder No. MHR-FF806-00**


Application date: November 01, 2024




Top vent



Mouth vent



Back vent 1



Back vent 2

<b>DRW.</b>	<b>FF806-22</b>	<b>Accessories(s)</b>
-------------	-----------------	-----------------------

R22 E1\*22R06/02\*301242\*00

	Type	FF806
	Page	28 of 30

**Jiangmen Pengcheng Helmets Ltd.**  
**Information folder No. MHR-FF806-00**

Application date: November 01, 2024



DRW.	FF806-23	Helmet assembly pictures (with back vent 1)
------	----------	--

	Type	FF806
	Page	29 of 30

R22 E1\*22R06/02\*301242\*00

**Jiangmen Pengcheng Helmets Ltd.**  
**Information folder No. MHR-FF806-00**

Application date: November 01, 2024



DRW.	FF806-24	Helmet assembly pictures (with back vent 2)
------	----------	--

	Type	FF806
	Page	30 of 30

R22 E1\*22R06/02\*301242\*00